

Notice of Allowability

Application No.

09/671,012

Examiner

Robert C. Scheibel

Applicant(s)

TERAMOTO ET AL.

Art Unit

2666

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 9/27/2004.

2. ☒ The allowed claim(s) is/are 1-23.

3. ☒ The drawings filed on 28 September 2000 are accepted by the Examiner.

4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) ☒ All b) ☐ Some* c) ☐ None of the:

1. ☒ Certified copies of the priority documents have been received.

2. ☐ Certified copies of the priority documents have been received in Application No. _____.

3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached

1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.

(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)

2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____

4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)

6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 20050106.

7. ☒ Examiner's Amendment/Comment

8. ☐ Examiner's Statement of Reasons for Allowance

9. ☐ Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Eckhard Kuesters on January 6-7, 2005.

The application has been amended as follows:

In claim 1, line 8, "a remote" has been corrected to --the remote--.

In claim 2, lines 3-4, "a remote" has been corrected to --the remote--.

In claim 12, line 5, "a remote" has been corrected to --the remote--.

In claim 12, line 8, "a remote" has been corrected to --the remote--.

In claim 13, line 10, "first terminal" has been corrected to --gateway--.

In claim 16, line 3, "a remote" has been corrected to --the remote--.

In claim 16, lines 4-5, "a wireless link the local terminal device" has been corrected to --a wireless link between a local terminal device--.

In claim 16, line 5, "a remote" has been corrected to --the remote--.

In claim 17, lines 2-3, "said terminal device" has been corrected to --the local terminal device--.

In claim 19, line 5, "said local terminal device" has been corrected to --a local terminal device--.

In claim 20, line 6, "local terminal device" has been corrected to --first terminal device--.

In claim 21, line 21, "the local terminal device" has been corrected to --the terminal device--.

In claim 21, line 8, "a remote" has been corrected to --the remote--.

Art Unit: 2666

In claim 21, line 22, "a remote" has been corrected to --the remote--.

In claim 22, line 10, "first terminal" has been corrected to --gateway--.

In claim 23, line 3, "a remote" has been corrected to --the remote--.

In claim 23, lines 4-5, "a wireless link the local terminal device" has been corrected to --a wireless link between a local terminal device--.


In claim 23, line 5, "a remote" has been corrected to --the remote--.

In claim 23, line 17, "a remote" has been corrected to --the remote--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert C. Scheibel whose telephone number is 571-272-3169. The examiner can normally be reached on Monday and Thursday from 6:30-5:00 Eastern Time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema S. Rao can be reached on 571-272-3174. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

 1-10-05
Robert C. Scheibel
Examiner
Art Unit 2666


DANGLTON
PRIMARY EXAMINER